

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 04/28/2006

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 1033 10/760,272 01/21/2004 Kia Silverbrook MPA01US **EXAMINER** 24011 7590 04/28/2006 SILVERBROOK RESEARCH PTY LTD LEBRON, JANNELLE M 393 DARLING STREET ART UNIT PAPER NUMBER BALMAIN, NSW 2041 **AUSTRALIA** 2861

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Summary	10/760,272	SILVERBROOK ET AL.	
	Examiner	Art Unit	
	Jannelle M. Lebron	2861	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions are reply within the set or extended period for reply will, by stated and the period for reply will be stated and the period for reply will, by stated and the period for reply will be st	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MON ute, cause the application to become Al	CATION. eply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status	•		
1) Responsive to communication(s) filed on 13	February 2006.		
·— ·	nis action is non-final.		
3) Since this application is in condition for allow	vance except for formal mat	ers, prosecution as to the merits is	
closed in accordance with the practice unde			
Disposition of Claims		•	
Disposition of Claims			
4)⊠ Claim(s) <u>1-11</u> is/are pending in the application			`
4a) Of the above claim(s) is/are withd	rawn from consideration.	•	
5) Claim(s) is/are allowed.			
6) Claim(s) 1-5 and 8-11 is/are rejected.			
7) Claim(s) 6 and 7 is/are objected to.	Mar alaatian saasisamant	V	
8) Claim(s) are subject to restriction and	/or election requirement.	;	
Application Papers			
9) The specification is objected to by the Exami	ner.		
10)⊠ The drawing(s) filed on 21 January 2004 is/a		bjected to by the Examiner.	
Applicant may not request that any objection to the	ne drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corr	ection is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).	
11) ☐ The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
		2.440(5) (4) 55 (5)	
12) Acknowledgment is made of a claim for forei	gn priority under 35 U.S.C.	3 119(a)-(d) or (t).	
a) All b) Some * c) None of:	ente have been received		
 Certified copies of the priority docume Certified copies of the priority docume 		opplication No	
3. Copies of the certified copies of the pi		• •	
application from the International Bure	•	1000mod m mil manomar otago	
* See the attached detailed Office action for a l		received:	
	•		
		•	
	•		
Attachment(s)	_		
1) Notice of References Cited (PTO-892)		Summary (PTO-413) s)/Mail Date	
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Note Notes) 	-, [⁻]	nformal Patent Application (PTO-152)	
Paper No(s)/Mail Date	5, <u> </u>	 ·	

Art Unit: 2861

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-3, 5, and 8-10 are rejected under 35 U.S.C. 102(b) as being anticipated by Silverbrook et al. (US Patent 6,439,908).
- 3. Regarding claim 1, Silverbrook et al. discloses a printhead module (12 in fig.2) for a printhead assembly, comprising a unitary arrangement of a support member (28 in fig.2), at least two printhead integrated circuits (18 in fig.2), each of which has nozzles (42 in fig.3) formed therein for delivering printing fluid onto the surface of print media, at least two fluid distribution members (26 in fig.11) mounting the one of at least two printhead integrated circuits to the support member, and an electrical connector (column 3, lines 59-65) for connecting electrical signals to the at least two printhead integrated circuits,

wherein the support member (28) has at least one longitudinally extending channel (72) for carrying the printing fluid for the printhead integrated circuits and includes a plurality of apertures (as shown in figure 8) extending through a wall of the support member arranged so as to direct the printing fluid from the at least one channel

Art Unit: 2861

to associated nozzles in both, or if more than two, all of the printhead integrated circuits by way of respective ones of the fluid distribution members (column 4, lines 41-44).

- 4. Regarding claim 2, Silverbrook et al. discloses a printhead module (12) wherein the printhead module (12) is arranged to be removably mounted to the printhead assembly (column 1, line 66 column 2, line 5).
- 5. Regarding claim 3, Silverbrook et al. discloses a printhead module (12) wherein the support member (28) is formed with a plurality of the channels (72 in fig.8), each of which is arranged to carry a different printing fluid for direction to associated groups of the nozzles in the both, or if more than two, all of the printhead integrated circuits by way of respective ones of the fluid distribution members (column 2, lines 17-19, lines 59-67).
- 6. Regarding claim 5, Silverbrook et al. discloses a printhead module (12) wherein the printhead integrated circuits (18) are individually supported upon a separate said fluid distribution member (column 2, lines 17-19).
- 7. Regarding claim 8, Silverbrook et al. discloses a printhead module wherein a lower surface of the at least one fluid distribution member (26) is attached to the upper surface of the support member (28) by an adhesive material (column 6, lines 14-29).
- 8. Regarding claim 9, Silverbrook et al. discloses a printhead module wherein the adhesive material is deposited to surround each of the apertures of the support member (28) and each of corresponding apertures formed in the lower surface of the at least one fluid distribution member (26) so as to form a seal between the respective apertures (as shown in figure 8 and 11; column 6, lines 14-40).

Application/Control Number: 10/760,272 Page 4

Art Unit: 2861

9. Regarding claim 10, Silverbrook et al. discloses a printhead module wherein the apertures of the support member (28) are formed in a row extending across the support member with respect to the longitudinally extending direction of the support member (as shown in figure 8); and

two deposits of the adhesive material are deposited on either side of the row of apertures to provide stability for the mounting arrangement (column 6, lines 16-20).

Claim Rejections - 35 USC § 103

- 10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 11. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. (US Patent 6,439,908) in view of Silverbrook (WO 2001/089849).

Silverbrook et al. meets the claimed limitations as set forth above in claim 1, except "a support member formed with a further channel (82) for delivering air to the at least two printhead integrated circuits for maintaining the nozzles of the at least two printhead integrated circuits substantially free from impurities."

Silverbrook teaches an ink distribution structure that supplies air to each print chip (27) via an air inlet port (61) thus preventing the build-up of any dust or unwanted contaminants at the apertures (44) in the nozzle guard (page 7, lines 5-9).

It would have been obvious to one of ordinary skill in the art at the time of the invention to include a channel for delivering air to the printhead circuits. One would have been motivated to modify the invention to improve print quality as taught by Silverbrook.

12. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Silverbrook et al. (US Patent 6,439,908) in view of Lu et al. (US 2003/0007042).

Silverbrook et al. teaches a sealing adhesive; however, it does not disclose the sealing adhesive being a curable resin.

Lu et al. discloses a sealing adhesive being a epoxy, a type of resin (paragraph 0017).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the disclosure of Silverbrook et al. with that of Lu et al. in order to create a more durable apparatus.

Allowable Subject Matter

13. Claims 6 and 7 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2861

14. The following is a statement of reasons for the indication of allowable subject matter:

The primary reason for the allowance of claims 6 and 7 is the inclusion of the limitation of a printhead module for a printhead assembly that includes laminated stack distribution layers and the middle layer has smaller apertures than the apertures of the lower layer, and the upper layer has smaller apertures than the apertures of the middle layer. It is this limitation found in the claims, as it is claimed in the combination of, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

Response to Arguments

- 15. The drawings and specification have been amended and a terminal disclaimer has been submitted.
- 16. Applicant's arguments filed 2/13/2006 have been fully considered but they are not persuasive.

Applicant argues that Silverbrook et al. ('908) does not disclose an arrangement in which modules in which modules have more than one printhead chip; however, a "printhead chip" is not claimed. Applicant claims a "printhead integrated circuits", and in column 14, lines 49-50, Silverbrook et al. discloses sixteen data connections.

Furthermore, the current application contains integrated printhead circuits 51 on tiles 50 that are arranged on top of the fluid channel member 40, which extends the

Art Unit: 2861

length of the printhead as can be seen in figure 4A. As stated in paragraph (0090) of the present application, "as illustrated in Figs. 1 and 2, sixteen printhead tiles 50 [each with one integrated printhead circuit 51 as seen in figure 5A] are provided in the printhead module 30." In figures 1 and 2, the arrow of 30 is pointing to a single printhead tile/integrated circuit, but the figures show that there are sixteen printhead tile/integrated circuits comprising the entire length of the printhead. Therefore, if sixteen printhead tiles are provided in the printhead module as stated, then the module must be the entire length of the apparatus shown in figures 1 and 2, with one fluid channel member 40 (or a series of sixteen interconnected fluid channel members) containing sixteen sets of outlet ports 42 as shown in figure 4A, and sixteen printhead tiles/integrated circuits on the upper surface of that one fluid channel member (or series of fluid channel members). Hence, either each printhead module (indicated by the arrow of 30 in figures 1 and 2) has only one printhead tile/integrated circuit, which contradicts the claim, or the printhead module is to be taken to mean the entire length shown in figures 1 and 2 where the module has at least two printhead tiles/integrated circuits and is shown in the figures with sixteen printhead tiles/integrated circuits.

A similar analysis can be applied to the cited reference, and the printhead module 10 can be taken to mean the entire length shown in figure 2 to satisfy the claimed printhead module of the instant application.

Applicant also argues that Silverbrook et al. does not teach or suggest one of ordinary skill in the art to modify the disclosed assembly; however, it would be obvious to one skilled in the art to modify the present invention with Lu et al., since the

Art Unit: 2861

Silverbrook et al. invention includes an adhesive but does not disclose it being specifically curable resin and Lu discloses this type of adhesive, which can be used on any type of printhead. Furthermore, it would be obvious to one skilled in the art to modify the present invention with Silverbrook ('849) to supply air to each integrated circuit to maintain them free of contaminants.

Conclusion

17. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jannelle M. Lebron whose telephone number is (571)

Art Unit: 2861

272-2729. The examiner can normally be reached on Monday thru Friday 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen D. Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JML 04/19/2006

LAMSON NGUYEN PRIMARY EXAMINER